$\epsilon D$ 

	Application No.	Applicant(s)	
Notice of Allowability	10/579,619	LEE, SUNG-YOUNG	
	Examiner	Art Unit	
	Vinod D. Patel	3742	•
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commu <b>IGHTS.</b> This application is s	nthis application. If not include unication will be mailed in due	ed course. THIS
1. X This communication is responsive to <u>5/17/06</u> .		•	
2. 🔀 The allowed claim(s) is/are <u>1-10</u> .			
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority unanal</li></ul>	e been received. e been received in Applicatio	n No	tion from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file MENT of this application.	a reply complying with the red	quirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv			OTICE OF
5. CORRECTED DRAWINGS (as "replacement sheets") must	st be submitted.		
(a) 🔲 including changes required by the Notice of Draftspers	son's Patent Drawing Review	v ( PTO-948) attached	
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t			back) of
<ol> <li>DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT</li> </ol>	osit of BIOLOGICAL MATE FOR THE DEPOSIT OF BIO	ERIAL must be submitted. N DLOGICAL MATERIAL.	Note the
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview So Paper No./ 7. ⊠ Examiner's	formal Patent Application ummary (PTO-413), Mail Date Amendment/Comment Statement of Reasons for Allo	wance

Application/Control Number: 10/579,619 Page 2

Art Unit: 3742

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the abstract, "Appendix" has been deleted to correct an typographical error.

## Allowable Subject Matter

- 2. Claims 1-10 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

Although the prior art is replete with teachings of a PTCelement module of a preheater for vehicles, the prior art does not teach to one of ordinary skill in the art, and in combination with the other limitations of the independent claims, a PTC element comprising a positive terminal composed of two sheets, an upper sheet of which has a fastening hole and upward bended ribs formed at opposite edges of the fastening hole, a ring shaped insert insulator inserted between ribs, a ptc element inserted into an inside of the insert insulator, a bottom surface of which is in contact with a lower sheet of the positive terminal. The instant application is deemed to be directed to an non-obvious improvement over the inventions patented in Pat. Nos. 6472645, 5256857, 5854471 and 5562844. The improvement comprises a positive terminal composed of two sheets, an upper sheet of which has a fastening hole and upward bended ribs formed at opposite edges of the fastening hole, a ring shaped insert insulator inserted

Application/Control Number: 10/579,619

Art Unit: 3742

between ribs. Listed prior art discloses separate insulator with hole to hold PTC element. In the examiner's opinion, it would not have been obvious to a person of ordinary skill in the art to eliminate insulator with hole and replacing it a positive terminal composed of two sheets, an upper sheet of which has a fastening hole and upward bended ribs formed at opposite edges of the fastening hole, a ring shaped insert insulator inserted between ribs.

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vinod D. Patel whose telephone number is 571-272-4785. The examiner can normally be reached on 7.30 A.M. TO 4.00 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor. Philip Leung can be reached on 571-272-4782. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

VP

Vmallale 4124107 Vinod Patel

**Patent Examiner** 

Art Unit 3742